

Safety Data Sheet dated 6/7/2019, version 6

SECTION 1: Identification of the subs	tance/mixture and of the company/undertaking
1.1. Product identifier	
Mixture identification:	
Trade name:	FEROX CONVERTIRUGGINE ML 200
Trade code:	4144
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against
Recommended use:	-
Rust converter	
 1.3. Details of the supplier of the safet 	y data sheet
Supplier:	
Arexons S.p.A.	
via Antica di Cassano, 23, 2006	3
Cernusco sul Naviglio (MI), Italy	1
Arexons S.p.A.	
Tel. +39 (0)2/924361 - Fax +39	(0)2/92436306
Competent person responsible for the	safety data sheet:
arexons@arexons.it	
1.4. Emergency telephone number	
Arexons S.p.A.	
Tel. +39 (0)2/924361 - Fax +39	(0)2/92436306
Centro Antiveleni di Pavia IRCC	CS- Fondazione Maugeri tel. +39 (0)382 24444 (h24; it, en)
In England and Wales: NHS 11	1 - dial 111
In Scotland: NHS 24 - dial 111	
In Ireland: Beaumont Hospital -	National Poisons Information Centre 01 809 2166 (7days, 8:00 -
22:00)	
In South Africa: Poison Informa	tion Helpline 0861 555 777

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture
EC regulation criteria 1272/2008 (CLP):

♦ Warning, Skin Irrit. 2, Causes skin irritation.
♦ Warning, Eye Irrit. 2, Causes serious eye irritation.
Adverse physicochemical, human health and environmental effects:
No other hazards
2.2. Label elements
Hazard pictograms:



Warning Hazard statements: H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

4144/6

Page n. 1 of 9



lenses, if present and easy to do. Continue rinsing. Special Provisions: None Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: >= 50% - < 60% Vinyl acrylic copolymer emulsion

3.2/2 Skin Irrit. 2 H315
 3.3/2 Eye Irrit. 2 H319

>= 0.05% - < 0.1% Bowing agent - isobutane - (dried product)

Index number: 601-004-00-0, CAS: 75-28-5, EC: 200-857-2

2.2/1 Flam. Gas 1 H220

2.5/C Press. Gas (Comp.) H280

SECTION 4: First aid measures

4.1. Description of first aid measures In case of skin contact: Immediately take off all contaminated clothing. Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath). Remove contaminated clothing immediately and dispose off safely. After contact with skin, wash immediately with soap and plenty of water. In case of eyes contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately. Protect uninjured eye. In case of Ingestion: Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY. In case of Inhalation: Remove casualty to fresh air and keep warm and at rest. 4.2. Most important symptoms and effects, both acute and delayed None 4.3. Indication of any immediate medical attention and special treatment needed In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment: None



SECTION 5: Firefighting measures

- 5.1. Extinguishing media Appropriate Extinguishing Media: To carbon dioxide. To dust. Foam Water spray. Not Recommended Extinguishing Media: Do not use direct water jets.
 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
 5.3. Advice for firefighters
 - 5.3. Advice for firefighters Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.
- 6.2. Environmental precautions
 Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water. 6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists.
 - Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

- 7.2. Conditions for safe storage, including any incompatibilities
 - Keep away from food, drink and feed. None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

- 7.3. Specific end use(s)
 - None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Bowing agent - isobutane - (dried product) - CAS: 75-28-5

4144/6

Page n. 3 of 9



ACGIH - STEL: 1000 ppm - Notes: (EX) - CNS impair VLE short - 1000 ppm **DNEL Exposure Limit Values** N.Á. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Eye glasses with side protection. Compliant with EN 166 Protection for skin: protective clothing Protection for hands: Nitrile or Viton gloves. Compliant with EN 374. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid White		
Odour:	Characteristic		
Odour threshold:	N.A.		
pH:	2.5		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling range:	100°C		
Flash point:	Not flammable		
Evaporation rate:	N.A.		
Solid/gas flammability:	N.A.		
Upper/lower flammability or explosive limits:	N.A.		
Vapour pressure:	N.A.		
Vapour density:	N.A.		
Relative density:	1.2 approx.		



Solubility in water:	Soluble	
Solubility in oil:	N.A.	
Partition coefficient (n- octanol/water):	N.A.	
Auto-ignition temperature:	N.A.	
Decomposition temperature:	N.A.	
Viscosity:	N.A.	
Explosive properties:	N.A.	
Oxidizing properties:	N.A.	

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups relevant properties	N.A.		

NA=not applicable

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability
 - Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects Toxicological information of the product: FEROX CONVERTIRUGGINE ML 200 a) acute toxicity

> Based on available data, the classification criteria are not met b) skin corrosion/irritation The product is classified: Skin Irrit 2 H215

The product is classified: Skin Irrit. 2 H315

4144/6 Page n. 5 of 9



Test: oecd 8 - Route: Skin - Species: RHE Negative 98 % - Duration: 3min - Notes: test condotto su formula analogo - Based on available data, the classification criteria are not met

Test: oecd 8 - Route: Skin - Species: RHE Negative 97.61 % - Duration: 1h - Notes: test condotto su formula analogo - Based on available data, the classification criteria are not met

c) serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

Test: oecd 9 - Route: EYE - Species: BCOP Negative 11.58 - Notes: test condotto su formula analogo - Based on available data, the classification criteria are not met d) respiratory or skin sensitisation

Based on available data, the classification criteria are not met e) germ cell mutagenicity

Based on available data, the classification criteria are not met f) carcinogenicity

Based on available data, the classification criteria are not met g) reproductive toxicity

Based on available data, the classification criteria are not met h) STOT-single exposure

Based on available data, the classification criteria are not met i) STOT-repeated exposure

Based on available data, the classification criteria are not met j) aspiration hazard

Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: N.A.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. N.A.

- 12.2. Persistence and degradability None
- N.A. 12.3. Bioaccumulative potential N.A.
- 12.4. Mobility in soil N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
- Recover if possible. In so doing, comply with the local and national regulations currently in force. Additional disposal information:

Reuse if possible. Act in accordance with the local and national laws in force. CER 08 01 11 waste paint and varnish containing organic solvents or other dangerous substances.

4144/6

Page n. 6 of 9



SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name
 - N.A.
- 14.3. Transport hazard class(es)
- N.A. 14.4. Packing group

N.A.

- 14.5. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No
- 14.6. Special precautions for user N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3 Restriction 40** Restrictions related to the substances contained: No restriction. Volatile Organic compounds - VOCs = 1.84 % Volatile Organic compounds - VOCs = 18.36 g/Kg Volatile Organic compounds - VOCs = 21.30 g/l Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 4144/6

Page n. 7 of 9



None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out: None

SECTION 16: Other information

Text of phrases referred to under heading 3:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

Hazard class and hazard category	Code	Description
Flam. Gas 1	2.2/1	Flammable gas, Category 1
Press. Gas (Comp.)	2.5/C	Gases under pressure (Compressed gas)
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2

Paragraphs modified from the previous revision:

SECTION 3: Composition/information on ingredients SECTION 7: Handling and storage

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ATE: Acute Toxicity Estimate

4144/6 Page n. 8 of 9



ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Áviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NA:	Not applicable
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.